



Material Safety Data Sheet

MSDS NUMBER 300-1

Page 1 of 3

| 24 HOUR EMERGENCY ASSISTANCE | | | GENERAL MSDS ASSISTANCE | |
|---|------------------|------------------------|---|--|
| VAPOR TECH: (281) 488-8389 TOLL FREE (800) 333-7910 | | | Vapor Tech (281) 488-8389 | |
| ACUTE HEALTH 1 | FIRE 0 | REACTIVITY 0 | Hazard Rating: Least – 0 Slight – 1 Moderate – 2 High – 3 Extreme – 4 | |
| For acute and chronic health effects refer to section III | | | MSDS DATE: 03/06/2000 | |



| SECTION I | NAME |
|----------------------------------|------|
| PRODUCT: CON-CLEAN™ | |
| CHEMICAL NAME: PROPRIETARY BLEND | |

| SECTION II-A | | PRODUCT/INGREDIENT COMPOSITION | | |
|---------------------|---------|--------------------------------|------------|-------------|
| Ingredient** | Percent | CAS # | Hazardous? | Carcinogen? |
| Sodium Metasilicate | 5 | N/A | NO | NO |
| | | | | |
| | | | | |
| | | | | |

**All ingredients of this product are listed on the EPA/TSCA inventory of chemical substances.

| SECTION III-A | ACUTE TOXICITY DATA | | |
|-----------------------|---------------------|-----------------------|--|
| Acute Oral LD50 | Acute Dermal LD50 | Acute Inhalation LD50 | |
| No data is available. | | | |
| | | | |
| | | | |

| SECTION III HEALTH INFORMATION | |
|---------------------------------------|--|
| Eye Contact | May produce mild to moderate irritation to the eye. Wear chemical splash goggles at all times. |
| Skin Contact | May produce slight irritation to the skin. Prolonged or repeated liquid contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis. |
| Inhalation | May cause slight irritation to nasal passages. |
| Ingestion | May cause severe abdominal distress and cramping including diarrhea. Do not drink this product. |

| SECTION IV EMERGENCY AND FIRST AID PROCEDURES | |
|--|--|
| Eye Contact | Flush eyes with plenty of water lifting eyelids frequently. Get medical attention if irritation persists. |
| Skin Contact | Remove contaminated clothing/shoes and wipe excess from skin. Flush skin with water. Wash with soap and water if necessary to remove residues. If irritation persists, get medical attention. Do not reuse clothing until cleaned. |
| Inhalation | Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. |
| Ingestion | Induce vomiting. Get medical attention as soon as possible. |

| SECTION V PHYSICAL DATA | |
|-----------------------------------|----------------------|
| Boiling Point (Deg F) | 235 |
| Melting Point (Deg F) | N/A |
| Evaporation Rate (water=1) | 1.03 |
| Appearance & Odor | Hazy to clear liquid |
| Specific Gravity (water=1) | 1.04 |
| Solubility (in water) | 100% |
| pH | 11.5-11.9 |
| Vapor Density (Air=1) | N/A |

| SECTION VI FIRE AND EXPLOSION HAZARDS | |
|---|---|
| Flash Point & Flammable Limits | (Non-flammable) Flammable Limits: Lower = N/A Upper = N/A |
| Extinguishing Media | Use water fog, foam, dry chemical, or CO2. |
| Special Fire Fighting Procedures | None. |
| Unusual Fire & Explosion Hazards | None known. |

| SECTION VII REACTIVITY | |
|--|--------------------------|
| Stability | Stable |
| Conditions & Materials to Avoid | Strong oxidizers & Acids |
| Hazardous decomposition Products | Carbon monoxide |
| Hazardous Polymerization | Will not occur |

| SECTION VIII ENVIRONMENTAL PROTECTION | |
|--|--|
| Spill or Leak Procedures: Isolate spill area with dikes or other containment device. Avoid run-off into lakes, streams, rivers, or other bodies of water. Remove with vacuum trucks or other suitable method and store in tank or salvage vessel. Place in non-leaking vessels. For smaller spills, take up with absorbent material and place into disposal container. | |

| SECTION IX TRANSPORTATION REQUIREMENTS | |
|--|---|
| D.O.T. Classification | PGIII, Not classified |
| D.O.T. Proper Shipping Name | Compound, Cleaning Liquid, Non-Hazardous Liquid |
| Other Requirements | |

| SECTION X SPECIAL NOTES | |
|---|--|
| The information contained herein is based on the data available to us and is believed to be correct. However, Vapor Tech makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Vapor Tech assumes no responsibility for injury from the use of the product described herein. | |