



Material Safety Data Sheet

MSDS NUMBER 300-1

Page 1 of 3

24 HOUR EMERGENCY ASSISTANCE			GENERAL MSDS ASSISTANCE	
VAPOR TECH: (281) 488-8389 TOLL FREE (800) 333-7910			Vapor Tech (281) 488-8389	
ACUTE HEALTH	FIRE	REACTIVITY	Hazard Rating: Least – 0 Slight – 1 Moderate – 2 High – 3 Extreme – 4	
1	0	0		
For acute and chronic health effects refer to section III			MSDS DATE: 03/06/2000	



SECTION I	NAME
PRODUCT: CON-CLEAN™	
CHEMICAL NAME: PROPRIETARY BLEND	

SECTION II-A		PRODUCT/INGREDIENT COMPOSITION		
Ingredient**	Percent	CAS #	Hazardous?	Carcinogen?
Sodium Metasilicate	5	N/A	NO	NO

**All ingredients of this product are listed on the EPA/TSCA inventory of chemical substances.

SECTION III-A	ACUTE TOXICITY DATA		
Acute Oral LD50	Acute Dermal LD50	Acute Inhalation LD50	
No data is available.			

SECTION III HEALTH INFORMATION	
Eye Contact	May produce mild to moderate irritation to the eye. Wear chemical splash goggles at all times.
Skin Contact	May produce slight irritation to the skin. Prolonged or repeated liquid contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis.
Inhalation	May cause slight irritation to nasal passages.
Ingestion	May cause severe abdominal distress and cramping including diarrhea. Do not drink this product.

SECTION IV EMERGENCY AND FIRST AID PROCEDURES	
Eye Contact	Flush eyes with plenty of water lifting eyelids frequently. Get medical attention if irritation persists.
Skin Contact	Remove contaminated clothing/shoes and wipe excess from skin. Flush skin with water. Wash with soap and water if necessary to remove residues. If irritation persists, get medical attention. Do not reuse clothing until cleaned.
Inhalation	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention.
Ingestion	Induce vomiting. Get medical attention as soon as possible.

SECTION V PHYSICAL DATA	
Boiling Point (Deg F)	235
Melting Point (Deg F)	N/A
Evaporation Rate (water=1)	1.03
Appearance & Odor	Hazy to clear liquid
Specific Gravity (water=1)	1.04
Solubility (in water)	100%
pH	11.5-11.9
Vapor Density (Air=1)	N/A

SECTION VI FIRE AND EXPLOSION HAZARDS	
Flash Point & Flammable Limits	(Non-flammable) Flammable Limits: Lower = N/A Upper = N/A
Extinguishing Media	Use water fog, foam, dry chemical, or CO2.
Special Fire Fighting Procedures	None.
Unusual Fire & Explosion Hazards	None known.

SECTION VII REACTIVITY	
Stability	Stable
Conditions & Materials to Avoid	Strong oxidizers & Acids
Hazardous decomposition Products	Carbon monoxide
Hazardous Polymerization	Will not occur

SECTION VIII ENVIRONMENTAL PROTECTION	
Spill or Leak Procedures: Isolate spill area with dikes or other containment device. Avoid run-off into lakes, streams, rivers, or other bodies of water. Remove with vacuum trucks or other suitable method and store in tank or salvage vessel. Place in non-leaking vessels. For smaller spills, take up with absorbent material and place into disposal container.	

SECTION IX TRANSPORTATION REQUIREMENTS	
D.O.T. Classification	PGIII, Not classified
D.O.T. Proper Shipping Name	Compound, Cleaning Liquid, Non-Hazardous Liquid
Other Requirements	

SECTION X SPECIAL NOTES	
The information contained herein is based on the data available to us and is believed to be correct. However, Vapor Tech makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Vapor Tech assumes no responsibility for injury from the use of the product described herein.	