



# DATASHEET

## CARBONIL XT

### DESCRIPTION:

Super-concentrated hydrocarbon encapsulation chemical agent. Carbonil XT chemically binds with hydrocarbons and other oil-based chemicals. This product greatly reduces LEL levels within 12 hours of application (60% reduction within 30 minutes usually). Excellent for use as a pre-treatment for tanks needing entry with high LEL. Moderate cleaning capabilities. Contains deodorant. Moderate foaming capabilities.

### PRODUCT USES & APPLICATIONS

- Tank Cleaning
- LEL Control
- Hydrocarbon Stripping
- Spill Control
- Fire Prevention

### APPLICATION INSTRUCTIONS

Dilution Rate	1:5 to 1:20 with water
Set Time	30 minutes to 24 hours
Special Instructions	Warm water helps stripping

**Special Instructions:** For scrubbing applications, make sure product has been treated with defoaming agent.

### HAZARDOUS INFORMATION

Specific Hazard	Eye and skin irritant
Flash Point (°F)	Above 220°
Biodegradability	Excellent
pH	10.5-11.5
Unusual Hazards	None

### PACKAGING INFORMATION

Available Quantities	5,30,55,275 and bulk
Packaging Material	Poly
Other Information	Do not let product freeze.

### CASE STUDY & APPLICATION INFO

#### March 12, 2002 South Texas Plant Operation

Carbonil XT was used during and EDC tank cleaning operation to lower LEL in a storage tank. Carbonil XT was diluted 1:15 with water and then applied to tank walls. Eight hours later LEL was less than 1% and the tank was safely entered.

#### August 2016: Robinson, IL Refinery

Carbonil XT was being used in one of Vapor Tech's SST-40 packed column vapor scrubbers at a refinery in Illinois. Vapors were being emitted from an oil-water separator. Customer was using straight carbon to control vapors prior to installing the Vapor Tech scrubber using the Carbonil XT chemical media. Customer informed Vapor Tech they have been saving over \$12,000 per week in carbon media related costs. System is now permanently installed into the process due to the cost savings.

**Section 1:**  
**PRODUCT AND COMPANY IDENTIFICATION**

Product Name..... CARBONIL XT  
 Synonyms..... N/A  
 Chemical Use..... Hydrocarbon Encapsulator  
 Chemical Family..... Mixture  
 Issue Date of SDS..... May 9, 2014  
 Revision Date of SDS..... 9/2/2025

**MANUFACTURER:**

Vapor Technologies, Inc.  
 7200 Williams Street  
 Hitchcock, TX 77563  
 (409) 316-0173  
[www.vapor-tech.net](http://www.vapor-tech.net)

EMERGENCY TELEPHONE NUMBER: (877) 840-0646

**Section 2:**  
**HAZARDS IDENTIFICATION**

<u>Health</u>	<u>Environmental</u>	<u>Physical</u>
Eye Damage/Irritation: Category 2B Skin Corrosion/Irritation: Category 3	None Known	None Known

**Hazard Statements**

**H316:** Causes mild skin irritation.  
**H320:** Causes eye irritation.

**GHS CLASSIFICATION**

NON HAZARDOUS

**Precautionary Statements**

**P264:** Wash hands thoroughly after handling.  
**P305+P351+P338:** IF IN EYES: Rinse cautiously with water for several minutes and remove contact lenses, if present.  
**P332+P313:** If skin irritation occurs: Get medical advice/attention.  
**P337+P313:** If eye irritation persists: Get medical advice/attention.

**SIGNAL WORD:**

WARNING

**GHS LABEL:**

NO SYMBOL

	<u>NFPA</u>	
Health	1	0 - Minimal
Flammability	0	1 - Slight
Reactivity	0	2- Moderate
Special Notice	-	3 - Serious
		4 - Severe
		B - Safety Glasses & Gloves

<u>HMIS</u>	
1	Health
0	Flammability
0	Physical Hazard
B	PPE

**Section 3:**  
**COMPOSITION/INFORMATION ON INGREDIENTS**

<u>INGREDIENTS</u>	<u>CAS#</u>	<u>CONCENTRATION</u>
Non-ionic Surfactant	9016-45-9	20%
MEA	141-43-5	10-18%
Fragrance	N/A	1%

**Section 4:**  
**FIRST AID MEASURES**

Eye Contact..... Immediately flush eyes with plenty of water. Get medical attention if irritation develops or persists.  
 Skin Contact..... Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation develops or persists.  
 Inhalation..... If exposed to excessive levels of fumes, remove to fresh air. Get medical attention if cough or other symptoms develop.  
 Ingestion..... DO NOT INDUCE VOMITING! Drink one or two glasses of water and get medical attention immediately

Section 5:  
**FIREFIGHTING MEASURES**

---

Suitable Extinguishing Media: ..... Use foam, carbon dioxide, or water spray to extinguish flames.  
Unsuitable Extinguishing Media:..... No further relevant information available.  
Combustion Products: ..... None.  
Fire Fighting Instructions.....As with any fire, wear sealed contained breathing apparatus, pressure demand MSHA/NIOSH (approved or equivalent) and full protective gear. Water runoff may cause environmental damage. Dike and collect water used to fight fire.

Section 6:  
**ACCIDENTAL RELEASE MEASURE**

---

Personal Precautions:..... Prevent contact with skin and eyes. See Section 8.  
Environmental Precautions..... Prevent entry of product into drains, sewers, surface or ground water.  
Methods for Cleaning Up:..... Clean up spills immediately. Absorb spill with inert material (e.g., dry sand or earth), then place in a suitable container for disposal.

Section 7:  
**HANDLING AND STORAGE**

---

Handling:..... Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using this product. Wear protective gloves, clothing and eye protection when handling this product. Use in well ventilated areas.  
Storage.....Store in cool place in original container and keep away from direct sunlight. Keep container closed when not in use.  
Shelf-Life..... One to two years normally.  
Storage Temperature..... 5 - 43°C (41 - 110°F)

Section 8:  
**EXPOSURE CONTROL/PERSONAL PROTECTION**

---

EXPOSURE LIMITS:	<u>Component</u>	<u>ACGIH (TLV)</u>	<u>ACGIH (STEL)</u>	<u>OSHA (PEL)</u>
	Non-Ionic Surfactant MEA	Not Known Not Known	Not Known Not Known	Not Known Not Known

Engineering Controls..... Good general ventilation should be sufficient to control airborne levels.  
Personal Protective Equipment (PPE):  
Eye Protection..... Wear safety-goggles with side shields (or goggles). Contact lenses should not be worn.  
Skin Protection..... Wear chemical resistant gloves.  
Respiratory Protection..... For most situations, no respiratory protection is necessary.  
General Hygiene Consideration..... There are no known health hazards associated with this product when used as recommended.  
The following general hygiene considerations are recognized as common, good industrial hygiene practices:

- Wash hands after use and before eating.
- Avoid breathing vapors.
- Wear safety glasses and gloves.

Exposure Limits..... Not established for product as whole.

Section 9:  
**PHYSICAL & CHEMICAL PROPERTIES**

---

Appearance..... Clear to slightly orange color liquid.  
Odor..... Pleasant fragrance.  
Vapor Pressure..... Not Determined.  
Odor Threshold..... Not Determined.  
Vapor density..... Not Determined.  
pH..... 10.5 - 11.5  
Relative Density..... Not Determined.  
Melting point/Freezing point:..... Not Determined / 30°F  
Solubility in water..... 100%  
Initial boiling point and range..... 220°F / Not Determined.  
Flash Point..... None.  
Evaporation rate..... Slightly greater than water.  
Flammability (solid, gas):..... Non flammable.  
Upper/Lower flammability or explosive limits:..... Not Established.  
Partition coefficient..... Not Determined.  
Auto igniting temperature..... Not Determined.  
Decomposition temperature..... Not Determined.  
Viscosity..... Not Determined.  
Specific Gravity (water = 1)..... 1.05

